1

2

3

4

1

1

1

1

1

1

2

3

4

5

6

7

Claims

We claim:

| 1 | 1. A | a method for | controlling | a plant | pathogen | wherein | said | method | comprises |
|---|---------------|----------------|---------------|-----------|--------------|----------|-------|-----------|-----------|
| 2 | applying to s | aid plant path | ogen a pestic | cidally e | effective ar | mount of | a pla | nt essent | ial oil. |

- 2. The method, according to claim 1, wherein said essential oil is from a plant selected from the group consisting of Palmarosa (*Cymbopogon martini*), tea tree (*Melaleuca alternifolia*), marjoram (*Thymus masiichina*), oregano (Origanum vulgure), lemongrass (*Cymbopogon flexuosus*), *Eucalyptus citriodora* and thyme (*Thymus vulgaris*).
 - 3. The method, according to claim 2, wherein said plant is palmarosa.
 - 4. The method, according to claim 3, wherein said essential oil is palmarosa oil.
 - 5. The method, according to claim 3, wherein said essential oil is geraniol.
 - 6. The method, according to claim 2, wherein said plant is thyme.
 - 7. The method, according to claim 6, wherein said essential oil is thymol.
- 8. The method, according to claim 1, wherein said essential oil is used to control a plant pathogen selected from the group consisting of *Penicillium* sp., *Botrytis* sp., *Monilinia* sp., *Alternaria* sp., *Aspergillus* sp., *Rhizopus* sp., *Sphaerotheca* sp., *Erisyphe* sp., *Uncinula* sp., *Podosphaera* sp., *Phytopthora* sp., *Pythium* sp., *Peronospora* sp., *Ralstoria* sp., Hemibasidiomycetes, nematodes, *Venturia* sp., *Cercospora* sp., *Pseudocercosporella* sp., *Cercospora* sp., *Cercosporidium* sp., *Fusarium* sp., *Ophiostoma* sp. and other wood staining fungi, *Diplodia* sp., *Erwinia* sp., *Pseudomonas* sp., and *Xanthomonas* sp.

The method, according to claim 8, wherein said pathogen is Ralstoria

1

2

1

2

1

9.

| 2 | solenacearum. | | | | | | |
|---|--|--|--|--|--|--|--|
| 1 | 10. The method, according to claim 9, wherein said Ralstoria solenacearum is | | | | | | |
| 2 | controlled using an agent selected from the group consisting of thyme essential oil, thymol, | | | | | | |
| 3 | palmarosa oil and geraniol. | | | | | | |
| 1 | 11. The method, according to claim 8, wherein said pathogen is selected from the | | | | | | |
| 2 | group consisting of Fusarium oxysporum f. sp. lycopersici, Phytophthora capsici, Pythium | | | | | | |
| 3 | aphanidermatum, and Athelia rolfsii. | | | | | | |
| 1 | 12. The method, according to claim 11, wherein said plant pathogen is controlled | | | | | | |
| 2 | using an essential oil from a plant selected from the group consisting of wild marjoram, | | | | | | |
| 3 | palmarosa, and thyme. | | | | | | |
| 1 | 13. The method, according to claim 1, wherein said essential oil is applied as a | | | | | | |
| 2 | fumigant. | | | | | | |
| | | | | | | | |

1 15. The method, according to claim 1, wherein tomatoes are protected from said 2 plant pathogen.

14. The method, according to claim 1, wherein the plant pathogen is a soil-borne

16. The method, according to claim 16, wherein said plant pathogen is *Ralstoria* solenacearum.

pathogen.

1

2

3

1 2

- 1 17. The method, according to claim 17, wherein tomatoes are protected against said 2 *Ralstoria solenacearum* by an essential oil from palmarosa or thyme.
 - 18. A container which contains an essential plant oil and which has associated with said container directions for using said essential plant oil to control one or more plant pathogens.
 - 19. A composition for the control of a plant pathogen wherein said composition comprises an essential oil and an agricultural carrier formulated for fumigation.